



Villeroy & Boch  
1748

# Basins...

Strong and versatile.







Classically styled and superbly crafted, Villeroy & Boch basins enhance, and are to be enjoyed. From the generously proportioned Florinella semi-recessed, to the compact Floronde drop-in basin, Villeroy & Boch has the ideal solution for any bathroom.

All Villeroy & Boch basins have an integral overflow to prevent flooding if the tap is inadvertently left on. And due to machining of the rim after firing, Villeroy & Boch basins will sit snugly onto the bench surface with a minimum of sealant being required.



Villeroy & Boch basins come with a five-year warranty and are now available with the optional Ceramic-plus dirt repellent surface - for active clean effect.





# Specifications





**Omnia Pro Architectura Basin**  
600 x 550mm (inside bowl 440Øm)  
61796101CB, tap hole on right  
61796001CB, tap hole on left  
61796201CB, no tap hole





**Florinella Semi-Recessed Basin**  
611401, single tap hole  
61140301, three tap hole





**Carine Vanity Basin**  
61270001CB, single tap hole  
6127000301CB, three tap hole



**Floronde Drop-In Basin**  
485mmØ  
617301, single tap hole  
61730301CB, three tap hole





**Florine Drop-In Basin**  
614901  
Available with single tap hole only



**Evana Under-Counter Basin**  
570 x 405mm (inside bowl 500 x 345mm)  
614701

Supplied standard with glazed underside  
**Due to possible variances each basin should be used to determine individual cutouts**



- IMPORTANT NOTES:**
- Flexible sealant only should be used between the basin rim and bench-top
  - Epoxy glues must not be used
  - Designed to take 32mm over-flow waste, or European-style pop-up plug and waste unit
  - Waste fittings should not be over-tightened
  - All basins in this brochure have an overflow with a flow rate of 15 litres per minute through the overflow
  - Special Order



**Brisbane**  
18 Wandoo Street  
Fortitude Valley QLD 4006  
Phone: 07 3252 6101  
Fax: 1300 656 057

**Sydney**  
80 Abercrombie Street  
Chippendale NSW 2008  
Phone: 02 8394 5800  
Fax: 02 8394 5888

**Melbourne**  
206-208 Coventry Street  
South Melbourne VIC 3205  
Phone: 03 9682 1231  
Fax: 03 9696 7661

**Argent Central**  
PO Box 2093  
Fortitude Valley QLD 4006  
Phone: 1300 364 748  
Fax: 1300 656 057

Technical Advice Hotline: 1800 356 717

Email: [ac@argentaust.com.au](mailto:ac@argentaust.com.au)

Website: [www.argentaust.com.au](http://www.argentaust.com.au)